

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L2	2324	365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L3	120	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L4	1238	365/189.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L5	9	L1 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L6	3	L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L7	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50
L8	83	(pullup or (pull adj up))and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:50

EAST Search History

L9	31	((pullup or (pull adj up)) same writ\$3) and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L10	2370	(SRAM (static adj3 (ram (random adj access adj memory)))) and (multi\$1port (multiple adj port))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L11	3	L10 and (((pull\$1up pullup) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L12	5	(multi\$1port (multiple adj port)) and (((pull\$1up pullup) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L13	5	(multi\$1port (multiple adj port)) and (((pull\$1up pullup (pull\$3 adj up)) near3 (switch transistor device)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L14	17	(multi\$1port (multiple adj port)) and ((pull\$1up pullup (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L15	25	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) and ((pull\$1up pullup (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L16	8	L15 not L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51

EAST Search History

L17	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L18	33339	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L19	300	((pullup or (pull adj up)) same writ\$3) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:51
L20	1380	((pullup pull\$1up (pull\$3 adj up)) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L21	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L22	33339	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L23	112	L20 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L24	1268	L20 not L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52

EAST Search History

L25	112	L20 not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L26	53	((pullup pull\$1up (pull\$3 adj up)) near3 (bitline digitline dataline bit\$1line digit\$1line data\$1line) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L27	4	L25 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L28	4	L26 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:52
L29	122	((pullup pull\$1up (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line) same writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L30	17	L29 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L31	105	L29 not L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L32	17	L29 not L31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53

EAST Search History

L33	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L34	2324	365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L35	120	L33 and L34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L36	1238	365/189.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L37	3	L35 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L38	9	L33 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L39	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53
L40	31	((pullup or (pull adj up)) same writ\$3) and L39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:53

EAST Search History

L41	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L42	33339	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) L41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L43	53	((pullup pull\$1up (pull\$3 adj up)) near3 (bitline digitline dataline bit\$1line digit\$1line data\$1line) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L44	4	L43 and L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L45	1380	((pullup pull\$1up (pull\$3 adj up)) with writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L46	112	L45 and L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L47	1268	L45 not L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L48	112	L45 not L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55

EAST Search History

L49	4	L48 and L43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L50	122	((pullup pull\$1up (pull\$3 adj up)) with (bitline digitline dataline bit\$1line digit\$1line data\$1line) same writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L51	17	L50 and L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L52	105	L50 not L51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L53	17	L50 not L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:55
L54	83	(writ\$3 program\$5) same ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) near5 ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L55	986	365/230.05.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L56	35415	(multi\$1port (multiple adj port) dual\$1port (dual adj port)) or L55 or 365/154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56

EAST Search History

L57	2	L54 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L58	108	(writ\$3 program\$5) same ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) with ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L59	6	L58 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L60	25	(writ\$3 program\$5) with ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) near5 ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:57
L61	53	(writ\$3 program\$5) with ((bitline dataline digitline bit\$1line data\$1line digit\$1line (column adj3 line)) with ((pull\$1up (pull\$3 adj3 up) offset\$3 shift\$3)) near3 (bias potential volt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L62	30	L61 not L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 14:56
L63	3	((((multi multiple dual double twin) near3 port) and (first near3 (bitline digitline dataline (bit adj line) (digit adj line) (data adj line)) near3 pair) and (second near3 (bitline digitline dataline (bit adj line) (digit adj line) (data adj line)) near3 pair) and (first near3 (row wordline (word adj line))) and (second near3 (row wordline (word adj line))) and (pullup (pull adj up))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:00

EAST Search History

L64	1	(((multi multiple dual double twin) near3 port) and (first near3 (bitline digitline dataline (bit adj line) (digit adj line) (data adj line)) near3 pair) and (second near3 (bitline digitline dataline (bit adj line) (digit adj line) (data adj line)) near3 pair) and (first near3 (row wordline (word adj line))) and (second near3 (row wordline (word adj line))) and ((pullup (pull adj up)) with writ\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:01
-----	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------	----	----	------------------